

DUMA 杜马

POWER 系列

双步进智能针送料平缝机

Double Step Smart Needle Feed Lockstitch Sewing Machine

1968BNF



匠心制作,所以精致

Crafty, so exquisite


DUMA 杜马

POWER 系列

双步进智能针送料平缝机

Double Step Smart Needle Feed Lockstitch Sewing Machine

1968BNF



匠心制作,所以精致

Crafty, so exquisite

1968BNF基本配置

组合按键

针送料

超耐磨针杆

LED照明灯



4.3寸液晶屏

通轴传动

可视油窗

密封油盒

电子膝靠

■ 针送料结构

Needle feed structure

本机采用连杆式针送料结构，针送料方式使送料特性更加稳定,缝层之间不易产生滑移。

The machine adopts connecting rod type needle feeding structure, which makes the feeding characteristics more stable,it is not easy to slip between seam layers.

■ LED照明灯

LED light

触手可及，亮度可调。

Convenient & with adjustable brightness.

■ 四键按钮

Four buttons

配有四个按键，方便进行加固、补针(补1针，补1/2针，1/4针)倒缝操作。

With four button it is convenient to reinforce and bartacking,fill needle(1,1/2,1/4).



■超耐磨针杆

DLC needle bar

采用黑金刚针杆，可有效减少漏油并极大限度延长使用寿命。

Adopt DLC needle bar, reduce oil leakage and greatly extend using life.

■4.3寸显示屏

4.3 inch LCD screen

液晶触摸屏功能齐全，操作简便明了。

The LCD touch screen has complete functions and the operation is simple and clear.

■通轴传动

Through shaft drive

直接使用主轴作为电机轴，无需用连轴器连接，主轴刚性好，力矩轻，电机运转声音轻。

The machine adopt connecting rod control feeding system, the needle feeding method make the feeding system more stable, during multi-sewing the fabric not easy to moving. .



■ 可视油窗

Visual oil window

可以确认油的剩余用量。

It's easy to confirm the amount of the remaining oil.

■ 密封油盒

Sealed oil tank

清洁缝纫,避免油污造成的缝料污染,同时可减小整机运作时的噪音;

Cleaning sewing, it avoid cloth dirty from oil, meantime reduce noisy when machine working.

■ 电子脚靠

Electronic footrest

不改变工人的操作习惯，实现轻松抬压脚。

It easy to lift the presser foot and no need change worker's sewing habit.



DM1968BNF

(DPx5)#18~#24

0-5

6-12

★

★

★

★

-

-

★

★

3500

620x280x545

45.3/39.2kg

1968BNF性能展示




普通旋梭

Ordinary revolving shuttle

两倍大旋梭

厚料粗线适用更广泛

thick materials and thick lines are suitable for a wider range




剪线
Trimming

抬压脚
Presser foot up/down


步进电机双向控制：一个电机控制抬压脚与剪线(专利技术)，
方便压脚高度调整,压脚升降无噪声,剪线平稳顺畅.

Step motor bidirectional driven technology (patent):One step motor control trimming and pressing foot lifter work, to make the stable trimmer and quiet presser foot.



短线头：采用剪线凸轮驱动的双动力刀剪线结构,可在机针正下方完成剪线,缝纫后的线头最短可达3MM,可有效减少人工剪线的工作量。

Short trimmer: double round knife trimmer system can realize the thread $\leq 3\text{mm}$ after trimming, it can effectively reduce the work load.



NEW SERIES

FULL OF POWER

Inspired and unique design appearance
with excellent practical performance.



扫码关注公众号

国货必须
自强



浙江省台州市椒江区机场南路58号
No. 58, Airport South Road, Jiaojiang District,
Taizhou City, Zhejiang Province



电话/Tel: +86-576-89086976/86
传真/Fax: +86-576-89086979



网络/Web: www.cnduma.com
E-mail: sales@cnduma.com