

DUMA 杜马

POWER 系列

双针智能角缝平缝机

Double needle spilt needle bar lockstitch sewing machine

245II



匠心制作, 所以精致

Crafty, so exquisite

DUMA 杜马

POWER 系列

双针智能角缝平缝机

Double needle spilt needle bar lockstitch sewing machine

24511



匠心制作, 所以精致

Crafty, so exquisite

245II基本配置

转角缝按钮

LED照明灯

密封油箱

DUMA
POWER

245II

大功率伺
服电机

7寸彩色
液晶屏

电子针距

可视油窗

电子膝靠

■LED照明灯

LED light

触手可及，亮度三档可调。

Convenient & with adjustable brightness.

■智能转角缝纫

Smart corner sewing

1. “L” 键和 “R” 键实现左右针杆自由分离，30°-140°角缝任意轻松切换。

2. “N” 键和 “M” 键实现倒缝和密缝功能。

1. "L" & "R" automatic separate needlebar turn from left & right, easy to change angle from 30° to 140°.

2. "N" & "M" for reserve stitch and seam stitch.

■7寸彩色大屏

7 inch LCD screen

液晶显示触摸屏功能齐全，操作简便明了。

The LCD touch screen has complete functions and the operation is simple and clear.

■ 密封油箱

Sealed oil tank

清洁缝纫,避免油污造成的缝料污染,同时可减小整机运作时的噪音;

Cleaning sewing, it avoid cloth dirty from oil, meantime reduce noisy when machine working.

■ 可视油窗

Visual oil window

可以确认油的剩余用量。

It's easy to confirm the amount of the remaining oil.

■ 750W大功率伺服电机

High power servo motor

直接驱动,噪音低、震动小,安装方便,启动停车反应迅速,机针贯穿力强。

750W high-power servo motor control machine main running, which has advantage of large needle penetration force, low noisy, low shake, easy to install and start and stop responding quickly



■ 电子控针距

Electronic controlled stitch length

采用步进马达控制的送料机构(专利技术)，可以实现精准的送料行程，
不管针距设定大小，都可以实现针迹重合的加固缝。


Step motor control the feeding motion (DUMA patent), it can achieve precise feed stroke, then realized high-quality back reverse sewing.




■ 电子脚靠

Electronic foot padel

不改变工人的操作习惯，实现轻松抬压脚。

It easy to lift the presser foot and no need to change any sewing habit.




															
DM245	(DP×5)#11~#16	0-5	7-12 / ≤12	★	★	★	★	-	★	★	★	-	3000	715x305x630	66/58
DM275	(DP×5)#14~#22	0-7	7-12 / ≤12	★	★	★	★	-	-	★	-	★	3000	715x305x630	66/58

245II性能展示


步进马达双向驱动技术(专利技术):一个马达完成切线和抬压脚动作。

Step motor bidirectional driven technology(patent): One step motor control trimming and presser foot lifter work.



可靠的切线机构：
切线机构采用马达驱动，结构简单、切线稳定、方便维护。

The unique thread trimmer device:
Adopt step motor to drive, stable, light noise and convenience on maintenance.




32

Multislot setting

Multislot setting

Segment number	stitch number	stitch length	angle
P1-1	0-999 23	0-5 3.0	30-140 110
P1-2	0-999 13	0-5 3.0	30-140 130
P1-3	0-999 13	0-5 3.0	30-140 110
P1-4	0-999 23	0-5 3.0	30-140 30
P1-5	0-999 0	0-5 3.0	30-140 90
P1-6	0-999 0	0-5 3.0	30-140 90
P1-7	0-999 0	0-5 3.0	30-140 90
P1-8	0-999 0	0-5 3.0	30-140 90
P1-9	0-999 0	0-5 3.0	30-140 90
P1-10	0-999 0	0-5 3.0	30-140 90
P1-11	0-999 0	0-5 3.0	30-140 90
P1-12	0-999 0	0-5 3.0	30-140 90
P1-13	0-999 0	0-5 3.0	30-140 90
P1-14	0-999 0	0-5 3.0	30-140 90
P1-15	0-999 0	0-5 3.0	30-140 90
P1-16	0-999	0-5	30-140
P1-17	0-999	0-5	30-140
P1-18	0-999	0-5	30-140
P1-19	0-999	0-5	30-140



① 花样缝（8种线迹）

Pattern seam (8 stitches)

② 自动口袋缝设定

Automatic pocket seam Settings



③ 任意角度缝

Arbitrary Angle seam

NEW SERIES FULL OF POWER

Inspired and unique design appearance
with excellent practical performance.



国货必须
自强



浙江省台州市椒江区机场南路58号
No. 58, Airport South Road, Jiaojiang District,
Taizhou City, Zhejiang Province



电话/Tel: +86-576-89086976/86
传真/Fax: +86-576-89086979



网络/Web: www.cnduma.com
E-mail: sales@cnduma.com